


CONTROL APPROVAL SYMBOL
SPMCS-123



WEEKLY HEALTH REPORT

CURRENT MORBIDITY DATA FOR THE ARMY IN THE CONTINENTAL UNITED STATES

WEEK ENDING 25 JANUARY 1946



ANNUAL MORBIDITY RATE FROM ALL CAUSES COMBINED

PER 1000 STRENGTH

DISEASE



INJURY



SPECIAL SECTION
ON
VENEREAL DISEASE

ARMY
MEDICAL
APR 3 1947
LIBRARY

THIS DOCUMENT CONTAINS INFORMATION
AFFECTING THE NATIONAL DEFENSE OF THE
UNITED STATES WITHIN THE MEANING OF THE
ESPIONAGE ACT, 50 U. S. C., 31 AND 32, AS
AMENDED. ITS TRANSMISSION OR THE REVELA-
TION OF ITS CONTENTS IN ANY MANNER TO AN
UNAUTHORIZED PERSON IS PROHIBITED BY LAW.

WEEKLY HEALTH REPORT

CONTENTS

DATA FOR WEEK ENDING 25 JANUARY 1946

	PAGE
NATURE OF THE DATA.	2
COMMENT ON CURRENT TRENDS.	5
SUMMARY FOR TOTAL UNITED STATES AND THE SERVICE COMMANDS.	9
MORBIDITY DATA FOR INDIVIDUAL STATIONS (OTHER THAN GENERAL HOSPITALS) HAVING A STRENGTH OF 5000 OR OVER	11
STATIONS WITH HIGHEST MORBIDITY RATES	18
CASES OF DISEASES WHICH ARE OF SPECIAL INTEREST.	19

VENEREAL DISEASE ADMISSION RATES IN DECEMBER 1945

COMMENT ON CURRENT TRENDS.	21
MORBIDITY DATA FOR INDIVIDUAL STATIONS WITH COLORED STRENGTH OF 1000 OR MORE	28

WEEKLY HEALTH REPORT

NATURE OF THE DATA

The data presented here are taken from the Statistical Health Reports, WD AGO 8-122, rendered weekly to the Office of The Surgeon General by every hospital and separate dispensary in the continental United States. Troops in transit and certain small detachments are not required to submit reports; for this and other reasons, total strength of reporting units has been consistently about 1 percent below the actual strength of the Army in this country. The mean strength shown for individual stations is that of Army personnel attached or assigned for medical care and does not include organizations not on the post but dependent on the station for hospitalization.

Because of the desirability of placing the information in circulation at the earliest possible time following its receipt, figures are in general shown herein as reported. Where there is some doubt as to the accuracy of the reported figures, their verification is requested, and the fact that they have been so questioned is indicated by the symbol (!).

MORBIDITY DATA

Admissions are reported only for cases admitted to a medical installation (either to hospital or quarters) and not returned to duty within the same day, except for certain cases carded for record only (chiefly venereal disease cases treated on a duty status, and deaths which occurred before admission to hospital or quarters). Admissions designated as "injury" comprise all "new" traumatisms (i.e., morbid conditions due to external causes, including poisons taken internally, results of exposure to heat, cold and light, as well as various types of wounds not due to enemy action) other than battle casualties. Under present conditions there would not be any direct admissions in the continental United States properly classifiable as battle casualties. All cases other than those of injury or battle casualty are classified as "disease."

Admission rates are shown for all causes combined, for all diseases combined, for injuries and for a few specific diseases. These rates are presented on an annual basis to facilitate comparisons with corresponding rates in annual and monthly reports. Such annual rates of admission indicate the number of admissions per thousand mean strength which would occur over a year's time if the current week's experience continued for a year.

The report also shows the number of cases of the more common communicable and certain other diseases of special interest. It may be noted that under the term infectious hepatitis are included cases reported as jaundic and cholangitis. Appended is a list of cases reported for the rarer communicable and certain other diseases.

The average proportion of the daily strength of the command which is confined to hospital or quarters (mean number of non-effectives per thousand strength) is given in the summary table for the total United States and for each of the Service Commands. More significant is the estimated non-effective rate for personnel stationed in the United States shown in the chart on page 7.

The number of enlisted men discharged during the week on Certificates of Disability for Discharge (CDD) are shown for individual stations. These data should be distinguished from the figures for "honorable discharges for physical and mental disqualification" assembled by The Adjutant General's Office; the latter include discharges for inaptness in addition to CDD's and are tabulated on a somewhat different basis (e.g., the April data represent April discharges processed by the AGO during April and May plus discharges prior to April which were processed in May).

In making comparisons between Service Commands it should be borne in mind that morbidity rates naturally tend to be higher in those Service Commands which have a relatively large number of General Hospitals and Ports of Embarkation. The presence of sizeable numbers of troops not under the jurisdiction of a Service Command (e.g. casualties, task force troops, etc.) affects the interpretation of the data from the viewpoint of Command responsibility.

MORTALITY DATA

Recent studies indicate that the reporting of deaths on WD AGO 8-122 is incomplete, especially in the case of deaths from injury. The resulting understatement in the mortality rate from injury may be as much as 10 percent and occasionally even more, but the death rate from disease is not materially understated. Therefore in computing mortality rates from injury and from all causes on the basis of the corresponding numbers of deaths, as shown in this report, an appropriate adjustment for the underreporting of such deaths must be made.

STATIONS WITH HIGHEST MORBIDITY RATES

Included in the report is a table listing the stations (having strength of 5000 or over) with the highest morbidity rates from all causes, from all diseases combined, from injuries, and from a few specific diseases. Not infrequently, the excessively high rates of admission for all causes and for all diseases combined reported from reception centers reflect a large number of venereal disease cases among newly inducted men. Therefore, more significant of high morbidity from disease are the rates of admission for disease excluding venereal infections existing prior to induction, which rates are also shown in the table. It should also be noted that reception, redistribution, and separation centers frequently report relatively large numbers of admissions arising from routine physical examinations of large bodies of troops.

EXPLANATORY MATTER

In reading the detail tables, it should be born in mind that admission rates based on small numbers of cases are not reliable. For this reason the symbol (?) is placed after admission rates computed on the basis of 5 or fewer cases.

Where the current week's data for a particular station have not been received, the latest available figures are substituted therefor and the symbol (E) is placed after the name of the station.

MORBIDITY FROM ——— ALL CAUSES ————— INJURY ONLY

CONTINENTAL UNITED STATES



RESTRICTED


OFFICE OF THE SURGEON GENERAL
MEDICAL STATISTICS DIVISION
HEALTH REPORTS BRANCH

MORBIDITY FROM ————— DISEASE

RESTRICTED

————— COLDS INFLUENZA ETC.

CONTINENTAL UNITED STATES



RESTRICTED

COMMENT ON CURRENT TRENDS

MORBIDITY FROM: All Causes:

(See Chart on page 3.)

Morbidity from all causes during the week ended 25 January showed little change, being reported at 627 admissions per thousand troops per annum, as compared with 625 during the preceding week.

Injury:

(See Chart on page 3.)

Injury admissions decreased from 30 per thousand troops per annum in the week ended 18 January to 29 per thousand in the current week. Highest rate was that reported from the Eighth Service Command (38 per thousand), ranging down to 16 per thousand in the First Service Command and the Military District of Washington.

Diseases:

(See Chart on opposite page.)

Morbidity from all diseases in the United States as a whole remained substantially unchanged at 598 admissions per thousand troops per annum. Comparatively sharp increases are noted, however, in the Third and Seventh Service Commands and the Military District of Washington.

Respiratory Diseases:

(See Chart on opposite page.)


The rate for colds, influenza, etc., increased during the week (168 per thousand to 179 per thousand). These rates for the corresponding periods last year were 180 and 188 per thousand (high points in last winter's morbidity, slightly over 190 per thousand, were reached in the first three weeks of February). Rates in 1944, moving downward from peak incidence of about 600 per thousand experienced in mid-December, 1943, were 350 and 332 per thousand.

This rate decreased by more than 5 per cent during the week only in the Second and Fifth Service Commands; large increases are noted in the Military District of Washington (273 per thousand to 390 per thousand) and in the Seventh Service Command (200 to 254 per thousand). Incidence of these diseases per thousand troops continues highest in the Military District of Washington.

Admissions for all forms of primary pneumonia increased during the week from 13 to 16 admissions per thousand troops per annum, while the rate for primary pneumonias other than atypical moved from 3.7 to 5.4 admissions per thousand troops. In the corresponding periods of last year this rate moved from 4.1 to 4.4 per thousand troops, while it had reached 13.1 and 13.7 in these weeks two years ago.


NONEFFECTIVE RATE

CONTINENTAL UNITED STATES



PATIENTS REMAINING IN HOSPITAL

CONTINENTAL UNITED STATES



COMMENT ON CURRENT TRENDS (CONT.)

Primary pneumonia admissions (for all forms) decreased in the First, Fourth, Fifth and Sixth Service Commands and the Military District of Washington; rates ranged from 26 per thousand in the Military District of Washington to 12 in the Fifth Service Command.

Venereal Diseases:

New admissions for non-EPTS venereal diseases increased during the week ended 25 January to 69 per thousand troops per annum from the rate of 66 per thousand reported in the previous week. However, the current rate is higher than any reported since Pearl Harbor except the "holiday-inflated" rate in the week ended 11 January. Morbidity from these causes decreased in all service commands except the Sixth and Eighth; incidence ranged from 100 admissions per thousand troops per annum in the Fourth Service Command down to 34 such admissions in the First Service Command.

Other Communicable Diseases:

Incidence of diarrhea and dysentery increased from 3 to 4 admissions per thousand troops per annum. Highest rates (15 and 7 per thousand respectively) were reported from the Second and Seventh Service Commands.

NONEFFECTIVE RATE:

(See Chart on page 6.)

The noneffective rate for personnel stationed in the continental United States is estimated at 39.7 per thousand troops per annum for the week ended 25 January as compared with 35.7 per thousand for the corresponding week of 1945.

PATIENTS REMAINING UNDER TREATMENT: 25 JANUARY 1946:
(See Chart on page 6.)

The number of patients remaining in hospital in the Zone of Interior, including patients transferred from overseas, decreased during the week to 153,221 as compared with 160,560 at the end of the previous week.


The number of neuropsychiatric cases remaining was 11,043 or about 800 less than at the end of the previous week. Nonbattle injury patients remaining numbered about 26,200. The battle casualty patients remaining decreased by about 1900 to 37,515.

CERTIFICATES OF DISABILITY FOR DISCHARGE:
(See Chart on page 8.)

In the week ended 25 January there were 4496 enlisted personnel discharged by CDD (918 more than in the previous week). Sixty-seven per cent of these discharges were reported by general hospitals and 15 per cent by convalescent hospitals. Among these CDD's were 866 neuropsychiatric cases, about 120 more than in the previous week. These discharges included 199 CDD's accomplished at Air Force medical activities.

CERTIFICATES OF DISABILITY FOR DISCHARGE

CONTINENTAL UNITED STATES



WEEKLY HEALTH REPORT

SUMMARY FOR TOTAL UNITED STATES AND THE SERVICE COMMANDS

RESTRICTED

SERVICE COMMAND	MEAN STRENGTH	ADMISSIONS																MEAN NUMBER OF NONEFFECTIVES PER 1000 STRENGTH	
		ANNUAL RATE PER 1000 STRENGTH						ANNUAL CASE RATE PER 1000 STRENGTH											
		ALL CAUSES		DISEASE		INJURY		COLDS, INFLU- ENZA, ETC. *		PNEUMONIA (INCL. ATYPICAL)		DIARRHEA AND DYSENTERY		VENEREAL (EXCL. SPTI)					
CURRENT WEEK COMPARED WITH PREVIOUS WEEK																			
	Current week	Previous week	Current week	Previous week	Current week	Previous week	Current week	Previous week	Current week	Previous week	Current week	Previous week	Current week	Previous week	Current week	Previous week	Current week	Previous week	
TOTAL UNITED STATES	1915481	1984638	627	625	598	595	29	30	179	168	16	13	4	3	69	66	40	38	
FIRST SERVICE COMMAND	67106	72667	566	608	550	579	16	29	189	180	14	16	32	4	33	49	44	43	
SECOND SERVICE COMMAND	172612	182884	650	649	625	629	25	20	163	176	18	17	15	7	64	67	40	39	
THIRD SERVICE COMMAND	179683	178828	792	735	763	707	29	28	250	254	20	15	12	12	79	110	42	44	
MIL. DIST. OF WASHINGTON	48753	48930	857	731	841	707	16	24	390	273	26	36	12	12	34	36	46	43	
FOURTH SERVICE COMMAND	386567	399620	538	532	510	502	28	30	131	104	14	15	2	3	100	104	36	31	
FIFTH SERVICE COMMAND	140529	148187	554	596	533	568	21	28	103	112	12	13	22	4	68	75	43	41	
SIXTH SERVICE COMMAND	117787	122631	591	565	568	536	23	29	143	124	16	17	22	7	63	49	40	38	
SEVENTH SERVICE COMMAND	163157	167280	742	682	719	655	23	27	254	200	19	18	7	6	56	66	37	37	
EIGHTH SERVICE COMMAND	312806	321117	626	642	588	608	38	34	235	225	14	13	3	1	71	65	40	40	
NINTH SERVICE COMMAND	326481	342494	595	643	558	606	37	37	143	148	13	11	5	6	47	49	41	40	
CURRENT YEAR TO DATE COMPARED WITH CORRESPONDING PERIOD PREVIOUS YEAR																			
	Current year	Previous year	Current year	Previous year	Current year	Previous year	Current year	Previous year	Current year	Previous year	Current year	Previous year	Current year	Previous year	Current year	Previous year	Current year	Previous year	
TOTAL UNITED STATES	1998062	3024426	629	655	598	600	31	55	172	166	15	13	4	8	69	46	82	66	
FIRST SERVICE COMMAND	73009	82723	569	747	547	689	22	58	167	167	13	9	5	6	38	73	138	83	
SECOND SERVICE COMMAND	188502	197059	704	690	680	639	24	51	189	160	16	11	10	6	66	53	99	95	
THIRD SERVICE COMMAND	182380	178625	746	780	719	732	27	48	238	171	18	10	3	6	99	64	80	70	
MIL. DIST. OF WASHINGTON	48625	52646	780	696	754	651	26	45	299	197	24	9	1	6	34	27	77	71	
FOURTH SERVICE COMMAND	399808	746763	557	645	527	585	30	60	129	146	16	15	3	7	97	50	68	58	
FIFTH SERVICE COMMAND	147260	135317	613	711	585	655	28	56	127	237	11	11	2	6	73	61	118	147	
SIXTH SERVICE COMMAND	121705	99681	603	769	575	726	28	43	133	240	15	27	4	7	54	60	113	104	
SEVENTH SERVICE COMMAND	170436	270219	677	599	651	552	26	47	215	127	17	10	5	7	66	43	80	60	
EIGHTH SERVICE COMMAND	320543	755786	620	634	586	573	34	61	209	184	16	14	3	10	69	39	72	49	
NINTH SERVICE COMMAND	345794	505607	600	617	558	566	42	51	137	153	10	8	4	7	37	37	64	61	

FORM SG-398B REVISED 13 NOVEMBER 1943

RESTRICTED

** Does not include evacuees.
*** Does include evacuees.

* Includes Acute Bronchitis, Acute Rhinitis, Coryza, Acute Tonsillitis, Acute Pharyngitis, Acute Nasopharyngitis, Acute Laryngitis, and Influenza.

ARMY SERVICE FORCES
OFFICE OF THE SURGEON GENERAL
MEDICAL STATISTICS DIVISION
HEALTH REPORTS BRANCH

WEEKLY HEALTH REPORT

RESTRICTED

VOLUME VI REPORT NO. 4
WEEK ENDING 25 January 1946

SUMMARY FOR TOTAL UNITED STATES AND THE SERVICE COMMANDS

SERVICE COMMAND	MEAN STRENGTH*	A D M I S S I O N S NUMBER OF CASES												NUMBER OF DEATHS				NUMBER OF DISPOSITIONS BY CDD
		MEASLES	MUMPS	SCARLET FEVER	M'COCCIC MENINGITIS	RHEUMATIC FEVER	ATYPICAL PNEUMONIA	INFECTIOUS HEPATITIS	MALARIA ACQUIRED		TUBERCULOSIS	STREPTO- COCCAL SORE THROAT	SCABIES	ALL CAUSES	DISEASE	INJURY	BATTLE CASUALTY	
									IN USA	OUT OF USA								
C U R R E N T W E E K																		
TOTAL UNITED STATES	1915481	204	179	85	23	32	373	131	1	402	140	44	374	72	45	26	1	4496
FIRST SERVICE COMMAND	67106		4	6	1	1	10	11		13	7	1	14	1	1			294
SECOND SERVICE COMMAND	172612	10	6	3	3	2	47	17		53	6		54	8	6	2		566
THIRD SERVICE COMMAND	179683	16	18	7		1	37	9		26	23	7	31	5	1	4		482
MIL. DIST. OF WASHINGTON	48753	1	4	12	3		8	1		2		6	2	5	5			63
FOURTH SERVICE COMMAND	386567	23	44	19	5	6	83	25		48	10	2	33	9	3	6		616
FIFTH SERVICE COMMAND	140529	4	7	5	2	3	17	7		38	5	2	33	5	3	2		495
SIXTH SERVICE COMMAND	117787	6	6	7	1	4	24	26		41	25	8	63	3	1	2		385
SEVENTH SERVICE COMMAND	163157	36	21	10		1	50	7		40	13	2	31	8	6	2		497
EIGHTH SERVICE COMMAND	312806	55	40	6	6	10	51	14		43	22	4	41	9	5	3	1	536
NINTH SERVICE COMMAND	326431	53	29	10	2	4	46	14	1	98	29	12	72	19	14	5		562
P R E V I O U S W E E K																		
TOTAL UNITED STATES	1984638	190	218	58	14	45	367	165	1	555	193	62	503	64	41	22	1	3578
FIRST SERVICE COMMAND	72667	2	1			2	11	26		25	6	8	12	1	1			284
SECOND SERVICE COMMAND	182884	18	5	1	1	4	52	17		81	3	3	69	9	6	2	1	454
THIRD SERVICE COMMAND	178828	47	24	5	1	2	22	10		30	16	4	39	2	2			383
MIL. DIST. OF WASHINGTON	48930	1	2	2			6	2		5		1	4	4	4			49
FOURTH SERVICE COMMAND	399620	12	40	14	6	5	97	18	1	49	37	2	45	17	12	5		400
FIFTH SERVICE COMMAND	148187	8	9	2		4	20	10		52	20	2	67	5	3	2		357
SIXTH SERVICE COMMAND	122631	2	5	2		2	25	21		60	49	3	62	5	2	3		325
SEVENTH SERVICE COMMAND	167280	10	33	9	2	13	44	9		37	19	19	49	4	2	2		320
EIGHTH SERVICE COMMAND	321117	66	35	12	3	9	54	24		58	32	4	49	11	4	7		446
NINTH SERVICE COMMAND	342494	24	64	11	1	4	36	28		158	11	16	107	6	5	1		560

FORM SG-396G REVISED 2 DEC. 1944

* SEE NATURE OF THE DATA, PAGE 2

RESTRICTED

ARMY SERVICE FORCES
OFFICE OF THE SURGEON GENERAL
MEDICAL STATISTICS DIVISION
HEALTH REPORTS BRANCH

WEEKLY HEALTH REPORT

INDIVIDUAL STATIONS

RESTRICTED

SERVICE COMMAND AND STATION	MEAN STRENGTH**	A D M I S S I O N S														NUMBER OF DEATHS			NUMBER OF DISPOSITIONS BY CDD
		ANNUAL RATE PER 1000 STRENGTH			ANNUAL CASE RATE PER 1000 STRENGTH					NUMBER OF CASES						ALL CAUSES	DISEASE	INJURY	
		ALL CAUSES	DISEASE	INJURY	COLDS INFLUENZA, ETC.,	PNEUMONIA (INCLUDING ATYPICAL)	DIARRHEA AND DYSENTERY	VENEREAL* (EXCLUDING EPTS)	MEASLES	MUMPS	SCARLET FEVER	M'COCCIG MENINGITIS	RHEUMATIC FEVER	ATYPICAL PNEUMONIA	INFECTIOUS HEPATITIS				
FIRST SERVICE COMMAND	67106	566	550	16	189	14	32	33		4	6	1	1	10	11	1	1		294
Devens, Ft., Mass.	32731	480	477	37	194	10	27	25		1				6	1				
TOTAL: ALL STATIONS UNDER 5000 STR. & MISC. UNITS	34375	649	620	29	185	18	57	41		3	6	1	1	4	10	1	1		294
SECOND SERVICE COMMAND	172612	650	625	25	163	18	15	64	10	6	3	3	2	47	17	8	6	2	566
Dix, Ft., N. J.	55043	539	538	17	123	15	37	34		1	2			16	9				23
Hancock, Ft., N. J.	9180	793	748	45	300		67	85											
Kilmer, Cp., N. J.	25136	617	588	29	37	87		192	5	1		1		3	4	1	1		3
Mitchel Field, N. Y. (RH)	7940	610	590	207	111	207		66						2					17
Monmouth, Ft., N. J. (RH)	12372	504	496	82	88	87	47	25						1	1	2	2		26
Shanks, Cp., N. Y.	7043	709	657	52	177	111		148	1					15					3
TOTAL: ALL STATIONS UNDER 5000 STR. & MISC. UNITS	55898	784	738	46	259	18	42	29	4	4	1	2	2	10	3	5	3	2	494

RESTRICTED

WEEKLY HEALTH REPORT

INDIVIDUAL STATIONS

RESTRICTED

SERVICE COMMAND AND STATION	MEAN STRENGTH**	A D M I S S I O N S															NUMBER OF DEATHS			NUMBER OF DISPOSITIONS BY CDD
		ANNUAL RATE PER 1000 STRENGTH			ANNUAL CASE RATE PER 1000 STRENGTH					NUMBER OF CASES							ALL CAUSES	DISEASE	INJURY	
		ALL CAUSES	DISEASE	INJURY	COLDS, INFLUENZA, ETC.,	PNEUMONIA (INCLUDING ATYPICAL)	DIARRHEA AND DYSENTERY	* VENEREAL (EXCLUDING EPTS)	MEASLES	MUMPS	SCARLET FEVER	M'COCCIC MENINGITIS	RHEUMATIC FEVER	ATYPICAL PNEUMONIA	INFECTIOUS HEPATITIS					
THIRD SERVICE COMMAND	179683	792	763	29	250	20	1?	79	16	18	7		1	37	9	5	1	4	482	
Aberdeen Prov. Ord., Md.	16364	1106	1074	32	623	22		35	3	6	3			7					3	
Geo. G. Meade, Ft., Md.	30583	760	757	3?	104	36		104		2				12	2				9	
Indiantown Gap, Pa.	30424	727	703	24	97	5?		44						3	3	1		1	22	
Langley Field, Va.	6774	292	269	23?	61			31?											3	
Lee, Cp., Va. (RH)	28878	749	733	16	173	31		85	7	3	4			5					27	
Pickett, Cp., Va.	26559	1011	991	20	587	27		119	5	5				5	1				19	
TOTAL: ALL STATIONS UNDER 5000 STR. & MISC. UNITS	40101	712	643	69	191	8	5?	83	1	2			1	5	3	4	1	3	399	
MIL. DIST. OF WASHINGTON	48753	857	841	16	390	26	1?	34	1	4	12	3		8	1	5	5		63	
Belvoir, Ft., Va. (RH)	17373	1105	1090	15?	575	57		60	1	3	12	3		4					15	
Myer, Ft., Va.	6418	778	746	32?	340	24?		8?		1				2						
Washington Gen. Disp., D. C.	7924	769	749	20?	460	13?								2						
TOTAL: ALL STATIONS UNDER 5000 STR. & MISC. UNITS	17038	674	665	9?	189		3?	34							1	5	5		48	

RESTRICTED

WEEKLY HEALTH REPORT

INDIVIDUAL STATIONS

RESTRICTED

SERVICE COMMAND AND STATION	MEAN STRENGTH**	A D M I S S I O N S														NUMBER OF DEATHS			NUMBER OF DISPOSITIONS BY CDD
		ANNUAL RATE PER 1000 STRENGTH			ANNUAL CASE RATE PER 1000 STRENGTH					NUMBER OF CASES						ALL CAUSES	DISEASE	INJURY	
		ALL CAUSES	DISEASE	INJURY	COLDS, INFLUENZA, ETC.,	PNEUMONIA (INCLUDING ATYPICAL)	DIARRHEA AND DYSENTERY	VENEREAL* (EXCLUDING EPTS)	MEASLES	MUMPS	SCARLET FEVER	M'COCCIC MENINGITIS	RHEUMATIC FEVER	ATYPICAL PNEUMONIA	INFECTIOUS HEPATITIS				
FOURTH SERVICE COMMAND	386567	538	510	28	131	14	2	100	23	44	19	5	6	83	25	9	3	6	616
Benning, Ft., Ga. (RH)	26879	449	437	12	108	8?		68	4			1	1	3	2				12
Ft. Randolph, Fla. (RH)	8216	595	525	70	38			114		2									8
Boca Raton Field, Fla.	5398	366	356	10?	29?			58	3										
Ft. Bragg, N. C. (RH)	62531	554	535	19	156	12		92	1	9	6	1		10	1				16
Fort Bragg, N. C. (Excl. Gen. and Conv. Hosp.)	10274	375	314	61	20?			56											
Gordon, Co., Ga.	8525	549	537	12?	49	18?	6?	110						3	1				3
Greensboro AAFORD, N. C. (RH)	36758	398	392	6?	144	6?		95	1	3				1	1				4
Jackson, Ft., S. C. (RH)	19816	546	528	18	37		5?	194	1				1						2
Keesler Field, Miss. (RH)	28225	709	663	46	267	24		33	1	8	10	1	1	12	3				15
McClellan, Ft., Ala. (RH)	26207	717	681	36	163	85	8?	89		16	3	1		35	2				22
MacDill, Field, Fla.	6742	324	293	31?	85	8?		46						1	1	1		1	2
Maxwell Field, Ala. (RH)	6909	505	452	53	23?	8?		136	5					1					2
McPherson, Ft., Ga.	23090	629	595	34	122	9?	5?	122	1				2	4	1	1	1		4
Shelby, Co., Miss.	16703	747	700	47	181	6?	6?	143	3					2					13
TOTAL: ALL STATIONS UNDER 5000 STR. & MISC. UNITS	100294	489	459	30	125	9	3?	113	3	6		1	1	11	13	7	2	5	513

RESTRICTED

WEEKLY HEALTH REPORT

INDIVIDUAL STATIONS

RESTRICTED

SERVICE COMMAND AND STATION	MEAN STRENGTH**	A D M I S S I O N S														NUMBER OF DEATHS			NUMBER OF DISPOSITIONS BY CDD
		ANNUAL RATE PER 1000 STRENGTH			ANNUAL CASE RATE PER 1000 STRENGTH				NUMBER OF CASES							ALL CAUSES	DISEASE	INJURY	
		ALL CAUSES	DISEASE	INJURY	COLDS, INFLUENZA, ETC.,	PNEUMONIA (INCLUDING ATYPICAL)	DIARRHEA AND DYSENTERY	VENEREAL* (EXCLUDING EPTS)	MEASLES	MUMPS	SCARLET FEVER	N'COCCIC MENINGITIS	RHEUMATIC FEVER	ATYPICAL PNEUMONIA	INFECTIOUS HEPATITIS				
FIFTH SERVICE COMMAND	140529	554	533	21	103	12	2?	68	4	7	5	2	3	17	7	5	3	2	495
Atterbury, Co., Ind.	42231	547	541	6?	52	1?	1?	58	1	1			2		2	1		1	
Campbell, Co., Ky. (RH)	21784	403	384	19	100	17	2?	81	1	1	2	1		2					10
Dayton, Ohio, AAF, Tech.Base #	13945	522	470	52	56	22		56	1	3				6					7
Knox, Ft., Ky. (RH)	28575	735	715	20	247	25	4?	53		1	2	1	1	7	2	1		1	8
TOTAL: ALL STATIONS UNDER 5000 STR. & MISC. UNITS	33994	524	493	31	67	6?	2?	92	1	1	1			2	3	3	3		470
SIXTH SERVICE COMMAND	117787	591	568	23	143	16	2?	63	6	6	7	1	4	24	26	3	1	2	385
Chanute Field, Ill. (RH)	12744	375	351	24	208	12?		41		2			1	1					2
Grant, Co., Ill.	12334	1190	1177	13?	67	55		25	1			1	1	10	12				5
McCoy, Co., Wis.	13707	581	581		68	30		46	1	1				8	2				12
Scott Field, Ill. (RH)	10604	604	589	15?	304	10?		29	4		6		2	2					8
Sheridan, Ft., Ill. (RH)	37251	465	444	21	77	4?	6?	74		1	1			1	4	1	1		7
TOTAL: ALL STATIONS UNDER 5000 STR. & MISC. UNITS	31147	594	551	43	205	13		94		2				2	8	2		2	351

[illegible]

WEEKLY HEALTH REPORT

INDIVIDUAL STATIONS

RESTRICTED

SERVICE COMMAND AND STATION	MEAN STRENGTH**	A D M I S S I O N S														NUMBER OF DEATHS			NUMBER OF DISPOSITIONS BY CDD
		ANNUAL RATE PER 1000 STRENGTH			ANNUAL CASE RATE PER 1000 STRENGTH					NUMBER OF CASES									
		ALL CAUSES	DISEASE	INJURY	COLDS, INFLUENZA, ETC.,	PNEUMONIA (INCLUDING ATYPICAL)	DIARRHEA AND DYSENTERY	* VENEREAL (EXCLUDING EPTS)	MEASLES	MUMPS	SCARLET FEVER	M'COCCIC MENINGITIS	RHEUMATIC FEVER	ATYPICAL PNEUMONIA	INFECTIOUS HEPATITIS	ALL CAUSES	DISEASE	INJURY	
EIGHTH SERVICE COMMAND	312806	626	588	38	235	14	3	71	55	40	6	6	10	51	14	9	5	3	536
Eliss, Ft., Texas	18361	589	569	20	249	8?	8?	23	4	3									
Bowie, Co., Texas (RH)	7512	506	499	7?	48	14?		69			1	1		2	1				7
Chaffee, Co., Ark.	21572	405	393	12?	53	19	2?	14	1	1				4	1	1		1	8
Fort Worth AAF, Texas	5045	588	557	31?	144	10?		93						1	1				
Harlingen AAF, Texas	5691	667	612	55	366		9?	27?											9
Hood, Co., Texas	8763	404	362	42	101			59											11
Jos. T. Robinson, Co., Ark.(RH)	21868	1032	982	50	604	29		52	10	9	3	4	1	8	1				36
New Orleans PoE, La.	15427	1011	954	57	381	20	20	243	17	2				5	1				2
Randolph Field, Texas	7660	272	265	7?	81			20?											3
San Houston, Ft., Texas	27969	575	569	6?	20			50											
San Antonio AAF, Texas (RH)	9960	533	512	21?	193	26?	5?	63	1	1			2	5					27
Sheppard Field, Texas (RH)	27080	1074	1041	33	916	58	2?	56	2	4			2	11		1	1		17
Sill, Ft., Okla.	17425	618	534	84	340	21		27	15	4				7					2
Swift, Co., Texas (RH)	19452	387	350	37	88	3?		11?	1	2				1	1	1		1	25
TOTAL: ALL STATIONS UNDER 5000 STR. & MISC. UNITS	99021	536	487	49	92	6	2?	106	4	14	2	1	5	7	8	6	4	1	389

RESTRICTED

WEEKLY HEALTH REPORT

INDIVIDUAL STATIONS

RESTRICTED

SERVICE COMMAND AND STATION	MEAN STRENGTH**	A D M I S S I O N S														NUMBER OF DEATHS			NUMBER OF DISPOSITIONS BY CDD
		ANNUAL RATE PER 1000 STRENGTH			ANNUAL CASE RATE PER 1000 STRENGTH					NUMBER OF CASES						ALL CAUSES	DISEASE	INJURY	
		ALL CAUSES	DISEASE	INJURY	COLDS, INFLUENZA, ETC.,	PNEUMONIA (INCLUDING ATYPICAL)	DIARRHEA AND DYSENTERY	* VENEREAL (EXCLUDING EPTS)	MEASLES	MUMPS	SCARLET FEVER	M'COCCIC MENINGITIS	RHEUMATIC FEVER	ATYPICAL PNEUMONIA	INFECTIOUS HEPATITIS				
NINTH SERVICE COMMAND	326481	595	558	37	143	13	5	47	53	29	10	2	4	46	14	19	14	5	562
Beale, Cp., Calif.	27182	887	876	11	121	11	10?	103	1	1			1	2					12
Cooke, Cp., Calif.	13235	314	267	47	43	4?		8?		1				1					7
Douglas, Ft., Utah	7131	1240	1196	44	226	7?		36?					2						12
Hamilton Field, Calif. (RH)	9852	359	338	21?	48			26?								1	1		3
Kearns AAFORD, Utah	13348	541	518	23	331	12?	16?	66		2	1	1		3					3
Lawton, Ft., Wash.	7947	530	458	72	111	13?		72		1	1								2
Lewis, Ft., Wash.	36217	500	493	7?	169	7?		43	34	9	1								
Los Angeles PoE, Calif.	9561	800	762	38	212	44	5?	169	1	3				5		1	1		1
MacArthur, Ft., Calif.	17810	468	450	18	88	3?		23	3					1		1	1		1
March Field, Calif.	8058	245	219	26?	32?			45		1									4
Ord, Ft., Calif. (RH)	24010	522	492	30	147		11?	26		2	4				1				27
Roberts, Cp., Calif.	14282	943	870	73	328	33			7	7			1	9		1	1		9
Stoneman, Cp., Calif.	11276	512	466	46	143	42	23?	92							4				26
TOTAL: ALL STATIONS UNDER 5000 STR. & MISC. UNITS	126572	588	537	51	124	15	6	38	7	2	3	1		25	9	15	10	5	455

WEEKLY HEALTH REPORT

LIST OF STATIONS WITH HIGHEST MORBIDITY RATES

RESTRICTED

VOLUME VI REPORT NO. 4
WEEK ENDING 25 January 1946

STATIONS WITH STRENGTH OF 5000 OR OVER

STATION	CURRENT WEEK	PREVIOUS WEEK	STATION	CURRENT WEEK	PREVIOUS WEEK	STATION	CURRENT WEEK	PREVIOUS WEEK
ALL CAUSES ANNUAL ADMISSION RATE PER 1000			DISEASE ANNUAL ADMISSION RATE PER 1000			INJURY ANNUAL ADMISSION RATE PER 1000		
Leonard Wood, Ft., Mo.	1849	1420	Leonard Wood, Ft., Mo.	1849	1392	Sill, Ft., Okla.	84	29
Douglas, Ft., Utah (1) (2)	1240	1173	Douglas, Ft., Utah (1) (2)	1196	1132	Roberts, Cp., Calif.	73	140
Grant, Cp., Ill.	1190	1196	Grant, Cp., Ill.	1177	1184	Lawton, Ft., Wash.	72	45
Aberdeen Prov. Grd., Md.	1106	1164	Belvoir, Ft., Va.	1090	891	Blanding, Cp., Fla.	70	102
Belvoir, Ft., Va.	1105	918	Aberdeen Prov. Grd., Md.	1074	1108	Butner, Cp., N. C. (Excl. Gen. & Conv. Hosp.)	61	49
Crowder, Cp., Mo.	1088	943	Crowder, Cp., Mo.	1058	903	New Orleans PoE, La.	57	33
Sheppard Field, Texas	1074	1235	Sheppard Field, Texas	1041	1184	Harlingen AAF, Texas	55	71
COLDS, INFLUENZA, ETC.* ANNUAL ADMISSION RATE PER 1000			PNEUMONIA (INCLUDING ATYPICAL) ANNUAL ADMISSION RATE PER 1000			DIARRHEA AND DYSENTERY ANNUAL ADMISSION RATE PER 1000		
Sheppard Field, Texas	916	818	Shanks, Cp., N. Y.	111	47	New Orleans PoE, La.	20	NONE
Crowder, Cp., Mo.	709	503	McClellan, Ft., Ala.	85	50			
Aberdeen Prov. Grd., Md.	623	651	Crowder, Cp., Mo.	59	44			
Jos. T. Robinson, Cp., Ark.	604	543	Sheppard Field, Texas	58	22			
Leonard Wood, Ft., Mo.	603	518	Belvoir, Ft., Va.	57	88			
Pickett, Cp., Va.	587	461	Grant, Cp., Ill.	55	27			
Belvoir, Ft., Va.	575	402	Snelling, Ft., Minn.	46	NONE	NO OTHER STATIONS WITH SIX OR MORE CASES.		
VENEREAL (EXCLUDING EPTS) ANNUAL ADMISSION RATE PER 1000			DISEASE EXCLUDING VENEREAL EPTS ANNUAL ADMISSION RATE PER 1000			(1) Reception Center or Station See Nature of the Data		
New Orleans PoE, La.	243	197	Leonard Wood, Ft., Mo.	1849	1374	(2) Separation Center See Nature of the Data		
Jackson, Ft., S. C.	194	219	Douglas, Ft., Utah (1) (2)	1196	1132	NOTE: When the current week's data for a station have not been received and the previous week's data are used instead, the rates for this station are not reported in this table if they were so shown in last week's report.		
Kilmer, Cp., N. J.	192	145	Grant, Cp., Ill.	1177	1184			
Los Angeles PoE, Calif.	169	52	Belvoir, Ft., Va.	1090	888			
Shanks, Cp., N. Y.	148	129	Aberdeen Prov. Grd., Md.	1074	1108			
Shelby, Cp., Miss.	143	222	Crowder, Cp., Mo.	1058	903			
Maxwell Field, Ala.	136	89	Sheppard Field, Texas	1041	1182			

FORM SG-396E, 12 NOVEMBER 1943

*Includes Acute Bronchitis, Acute Rhinitis, Coryza, Acute Tonsillitis, Acute Pharyngitis, Acute Nasopharyngitis, Acute Laryngitis, And Influenza.

ARMY SERVICE FORCES
OFFICE OF THE SURGEON GENERAL
MEDICAL STATISTICS DIVISION
HEALTH REPORTS BRANCH

RESTRICTED

RESTRICTED

LIST OF CASES OF DISEASES WHICH ARE OF SPECIAL INTEREST

FORM SG-902 - 8 July 1944


ARMY SERVICE FORCES
OFFICE OF THE SURGEON GENERAL
MEDICAL STATISTICS DIVISION
HEALTH REPORTS BRANCH

MORBIDITY FROM VENEREAL DISEASES

TOTAL ARMY

CONTINENTAL UNITED STATES

ANNUAL RATE OF ADMISSION PER 1000 STRENGTH




ANALYSIS OF VENEREAL DISEASE DATA

This report, covering the four-week period ended 28 December 1945, presents an analysis of incidence of the venereal diseases among colored males and all other personnel for all units in the continental United States which submit Statistical Health Reports (WD AGO Form 8-122). Data are shown for individual stations where the colored male strength was 1000 or more; for other units in each service command the data are shown in total only.

The chart on the opposite page shows admissions for venereal diseases in the Army as a whole during the war period. A sharp decrease in reported morbidity from all venereal diseases combined took place during December, the overall admission rate decreasing from 65 per thousand troops per annum in November to 53 in the current month. During the holiday season, large numbers of men were absent on leaves, furloughs, and passes from their stations; consequently, many infections acquired in this period will not be reported until January, when these troops have returned to their units.

During December, however, the admission rate for syphilis increased from 9 to 10 per thousand; this rate has risen in each month since May 1945. It is suggested that the continued increase in this rate in December, despite the drop in morbidity from other venereal diseases, may be due to the increase in the number of soldiers given routine pre-separation serological examinations. In November, approximately 184,000 troops were separated each week, while the weekly average number of separations in December reached 205,000.


NONEFFECTIVENESS
DUE TO VENEREAL DISEASE
MEAN DAILY NONEFFECTIVE RATE PER 1000
CONTINENTAL UNITED STATES



MORBIDITY FROM VENEREAL DISEASES ALL OTHER PERSONNEL THAN COLORED MALES

CONTINENTAL UNITED STATES


ANNUAL RATE OF ADMISSION PER 1000 STRENGTH



MORBIDITY FROM VENEREAL DISEASES COLORED MALES

CONTINENTAL UNITED STATES

ANNUAL RATE OF ADMISSION PER 1000 STRENGTH



ANALYSIS OF VENEREAL DISEASE DATA (CONT'D)

The average weekly number of admissions for EPTS venereal diseases during December was 180 as compared with 190 cases per week in November.

Charts on pages 22 and 23 show morbidity from the venereal diseases among colored males and other Army personnel. Admission rates for gonorrhea acquired in the Army among colored males decreased sharply, while admissions for syphilis increased during December from 57 to 78 admissions per thousand troops. Among other personnel, the incidence of gonorrhea dropped from the rate of 29 per thousand troops per annum reported in November to 20 in December, while the rate for syphilis remained at 5 per thousand.

Rates for gonorrhea among colored male personnel decreased in all service commands except the Eighth and MDW, while syphilis rates for this group increased in all service commands except the First, Sixth and Seventh. Among personnel other than colored males,

gonorrhea admission rates decreased in all service commands. Highest morbidity was reported from the Fifth Service Command, where the rate was 31 per thousand, while rates of incidence below 15 per thousand were noted in the First and Ninth Service Commands and the Military District of Washington.

The number of noneffectives suffering from venereal diseases in the Army as a whole remained at 8.7 per thousand troops per diem during December; among colored troops, a daily average of 6.72 in each thousand did not perform duty because of venereal diseases in December (6.70 in November) while the noneffective rate for other personnel decreased from .45 in November to .44 in December.

At the end of December, 1063 patients were remaining under treatment for syphilis; of these, 291 were receiving specialized treatment for the disease in general hospitals.

VENEREAL DISEASE NON-EFFECTIVE RATES AND DAYS LOST ON ACCOUNT OF VENEREAL DISEASES

TOTAL ARMY IN CONTINENTAL UNITED STATES

VOLUME VI REPORT NO. 4

SERVICE COMMAND	1945 MONTH* 1945											
	JANUARY	FEBRUARY	MARCH ‡	APRIL	MAY	JUNE ‡	JULY	AUGUST ‡	SEPTEMBER	OCTOBER	NOVEMBER ‡	DECEMBER
NON-EFFECTIVE RATE PER 1000 STRENGTH												
TOTAL UNITED STATES	.82	.83	.80	.76	.70	.68	.67	.66	.70	.75	.87	.87
FIRST SERVICE COMMAND	1.43	1.43	1.36	1.22	1.29	1.29	1.14	1.07	1.10	1.27	1.29	1.24
SECOND SERVICE COMMAND	.96	.92	.73	.79	.64	.54	.48	.60	.74	.78	.88	1.19
THIRD SERVICE COMMAND	1.80	1.58	1.19	1.07	1.02	1.02	1.01	.95	1.18	1.21	1.59	1.45
MIL.DIST.OF WASHINGTON	.86	.64	.57	.58	.82	.76	.59	.70	.75	.67	.54	.45
FOURTH SERVICE COMMAND	.75	.79	.82	.84	.71	.77	.70	.62	.66	.77	.79	.76
FIFTH SERVICE COMMAND	.99	1.03	.98	.93	.96	.76	.94	.71	.77	.73	.80	.64
SIXTH SERVICE COMMAND	.79	.78	.61	.77	.72	.49	.50	.61	.60	.54	.75	.63
SEVENTH SERVICE COMMAND	.37	.30	.32	.27	.30	.44	.45	.61	.63	.68	.94	.91
EIGHTH SERVICE COMMAND	.82	.88	.92	.76	.65	.61	.65	.69	.67	.56	.76	.67
NINTH SERVICE COMMAND	.65	.71	.66	.67	.59	.59	.62	.63	.60	.77	.77	.88
NUMBER OF DAYS LOST												
TOTAL UNITED STATES	69621	67544	78652	59933	55977	69934	60073	80908	70007	69447	80711	53040
FIRST SERVICE COMMAND	3342	3201	3655	2737	2864	3963	3134	3927	3572	4132	4315	3171
SECOND SERVICE COMMAND	5281	4836	4490	3722	3069	3642	3170	4888	4866	5068	5967	6294
THIRD SERVICE COMMAND	9032	7889	7833	5687	5532	6813	6015	7550	7416	7850	11290	7433
MIL.DIST.OF WASHINGTON	1273	931	1020	812	1161	1409	908	1354	1264	1166	1067	640
FOURTH SERVICE COMMAND	15597	15579	19561	16001	15063	19069	14692	17809	15316	15436	15444	9458
FIFTH SERVICE COMMAND	3716	3720	4710	3753	3890	4020	4529	5029	4210	4127	4685	2641
SIXTH SERVICE COMMAND	2245	2243	2201	2302	2273	2317	2260	4021	3195	2939	4077	2347
SEVENTH SERVICE COMMAND	2781	2258	2926	2043	2250	4259	4027	7354	6483	6390	8367	4966
EIGHTH SERVICE COMMAND	17252	17513	21744	14202	11872	13814	12152	17340	13579	10138	12871	6522
NINTH SERVICE COMMAND	9102	9374	10512	8674	8003	10628	9186	11636	10106	12201	12628	9568

*BY "MONTH" IS MEANT THE FOUR OR FIVE WEEK PERIOD BASED ON THE NUMBER OF FRIDAYS IN THE CALENDAR MONTH. "MONTHS" WITH FIVE WEEKS INDICATED BY ‡

OFFICE OF THE SURGEON GENERAL
MEDICAL STATISTICS DIVISION

VENEREAL DISEASE NON-EFFECTIVE RATES AND DAYS LOST ON ACCOUNT OF VENEREAL DISEASES

COLORED MALES IN ARMY IN CONTINENTAL UNITED STATES

VOLUME VI REPORT NO 4

SERVICE COMMAND	1945 MONTH* 1945											
	JANUARY	FEBRUARY	MARCH ‡	APRIL	MAY	JUNE ‡	JULY	AUGUST ‡	SEPTEMBER	OCTOBER	NOVEMBER ‡	DECEMBER
NON-EFFECTIVE RATE PER 1000 STRENGTH												
TOTAL UNITED STATES	5.14	5.20	4.98	4.71	4.56	4.74	5.03	4.68	4.86	5.30	6.70	6.72
FIRST SERVICE COMMAND	5.56	5.86	5.90	5.71	6.54	8.12	7.50	8.53	12.69	13.83	10.39	9.27
SECOND SERVICE COMMAND	6.59	5.98	5.03	5.41	4.34	3.80	3.39	5.05	5.78	5.42	7.18	13.0
THIRD SERVICE COMMAND	9.35	9.15	6.53	5.10	5.10	5.20	6.01	5.46	7.72	7.61	11.28	11.54
MIL.DIST.OF WASHINGTON	11.60	9.21	8.51	9.58	12.54	14.33	10.37	13.10	7.14	5.72	5.70	8.49
FOURTH SERVICE COMMAND	4.51	4.63	4.56	4.73	4.65	5.55	5.61	4.85	4.81	6.11	5.92	5.43
FIFTH SERVICE COMMAND	4.71	4.14	4.95	3.57	5.28	4.91	6.42	5.32	3.98	5.97	5.57	4.22
SIXTH SERVICE COMMAND	9.80	15.07	10.41	12.43	9.97	6.94	7.30	7.02	3.85	5.27	12.65	8.67
SEVENTH SERVICE COMMAND	2.59	1.99	2.05	1.42	1.46	1.20	2.17	3.18	3.43	4.28	5.94	5.27
EIGHTH SERVICE COMMAND	5.50	6.38	7.06	6.33	5.82	5.56	6.71	5.82	4.38	2.73	6.11	4.97
NINTH SERVICE COMMAND	3.04	2.63	3.33	3.46	3.15	3.58	3.51	2.77	3.79	5.37	5.50	5.86
NUMBER OF DAYS LOST												
TOTAL UNITED STATES	30293	29431	33869	25615	24497	31769	26990	33607	30359	31876	41918	28006
FIRST SERVICE COMMAND	1958	1882	1900	1365	1374	1698	1203	1551	1664	1788	1947	1354
SECOND SERVICE COMMAND	2889	3068	2668	2237	1785	1885	1256	2378	2260	2044	2909	3837
THIRD SERVICE COMMAND	5812	5344	4889	3155	3205	3800	3413	3893	4521	4435	6651	4823
MIL.DIST.OF WASHINGTON	502	395	437	363	447	648	372	585	594	508	501	297
FOURTH SERVICE COMMAND	7160	7788	9472	7675	7370	10634	7907	8958	7477	9048	9754	7013
FIFTH SERVICE COMMAND	1239	925	1251	698	1071	1266	1367	1413	896	1391	1599	886
SIXTH SERVICE COMMAND	580	914	834	952	847	817	784	1133	613	741	1462	617
SEVENTH SERVICE COMMAND	1076	809	1149	713	767	788	1339	2671	2535	2862	3752	1846
EIGHTH SERVICE COMMAND	5978	5955	7635	5466	5021	5871	5750	7019	5691	3460	6803	3171
NINTH SERVICE COMMAND	3099	2351	3634	2991	2610	4362	3599	4008	4108	5599	6540	4162

*BY "MONTH" IS MEANT THE FOUR OR FIVE WEEK PERIOD BASED ON THE NUMBER OF FRIDAYS IN THE CALENDAR MONTH. "MONTHS" WITH FIVE WEEKS INDICATED BY ‡

VENEREAL DISEASE NON-EFFECTIVE RATES AND DAYS LOST ON ACCOUNT OF VENEREAL DISEASES

ARMY EXCLUSIVE OF COLORED MALES, CONTINENTAL UNITED STATES

VOLUME VI REPORT NO. 4

SERVICE COMMAND	1945 MONTH* 1945											
	JANUARY	FEBRUARY	MARCH ‡	APRIL	MAY	JUNE ‡	JULY	AUGUST ‡	SEPTEMBER	OCTOBER	NOVEMBER ‡	DECEMBER
NON-EFFECTIVE RATE PER 1000 STRENGTH												
TOTAL UNITED STATES	.50	.51	.49	.47	.42	.39	.39	.41	.43	.44	.45	.44
FIRST SERVICE COMMAND	.70	.69	.74	.68	.74	.79	.74	.68	.62	.75	.75	.75
SECOND SERVICE COMMAND	.47	.37	.32	.34	.29	.28	.30	.33	.42	.51	.48	.49
THIRD SERVICE COMMAND	.73	.58	.50	.54	.49	.51	.48	.51	.51	.58	.71	.55
MIL.DIST.OF WASHINGTON	.54	.38	.34	.33	.52	.42	.36	.41	.42	.40	.30	.24
FOURTH SERVICE COMMAND	.44	.43	.46	.48	.43	.37	.35	.25	.41	.35	.32	.22
FIFTH SERVICE COMMAND	.71	.82	.76	.79	.73	.55	.69	.53	.63	.51	.55	.45
SIXTH SERVICE COMMAND	.59	.47	.39	.46	.47	.33	.33	.45	.50	.41	.49	.47
SEVENTH SERVICE COMMAND	.24	.20	.21	.19	.21	.39	.32	.42	.41	.41	.56	.61
EIGHTH SERVICE COMMAND	.56	.61	.62	.49	.39	.37	.36	.43	.41	.40	.38	.37
NINTH SERVICE COMMAND	.46	.57	.46	.47	.43	.37	.41	.40	.38	.44	.40	.53
NUMBER OF DAYS LOST												
TOTAL UNITED STATES	39328	38113	44783	34361	31480	38165	33083	47301	39648	37571	38793	25034
FIRST SERVICE COMMAND	1384	1319	1755	1372	1490	2265	1931	2376	1908	2344	2368	1817
SECOND SERVICE COMMAND	2392	1768	1822	1485	1284	1757	1914	2612	2606	3024	3058	2457
THIRD SERVICE COMMAND	3220	2545	2944	2532	2327	3013	2602	3657	2895	3415	4639	2610
MIL.DIST.OF WASHINGTON	771	536	583	449	714	761	536	769	670	658	566	343
FOURTH SERVICE COMMAND	8437	7791	10089	8369	7693	8435	6785	8851	7839	6388	5690	2445
FIFTH SERVICE COMMAND	2477	2795	3459	3055	2819	2754	3162	3618	3314	2736	3086	1755
SIXTH SERVICE COMMAND	1665	1329	1367	1350	1426	1500	1476	2888	2582	2198	2615	1730
SEVENTH SERVICE COMMAND	1705	1449	1777	1330	1483	3471	2688	4683	3948	3528	4615	3120
EIGHTH SERVICE COMMAND	11274	11558	14109	8736	6851	7943	6402	10321	7888	6678	6068	3351
NINTH SERVICE COMMAND	6003	7023	6878	5683	5393	6266	5587	7628	5998	6602	6088	5406

*By "MONTH" IS MEANT THE FOUR OR FIVE WEEK PERIOD BASED ON THE NUMBER OF FRIDAYS IN THE CALENDAR MONTH. "MONTHS" WITH FIVE WEEKS INDICATED BY ‡

OFFICE OF THE SURGEON GENERAL
MEDICAL STATISTICS DIVISION

VENEREAL DISEASE ADMISSION RATES[†]

RESTRICTED

VOLUME VI REPORT NO. 4
FOR THE 4 WEEK PERIOD ENDING 28 December, 1945

FOR STATIONS HAVING COLORED MALE STRENGTH OF 1000 OR OVER

SERVICE COMMAND AND STATION	EXCLUDING EPTS CASES*												TOTAL EPTS CASES			SERVICE COMMAND AND STATION	EXCLUDING EPTS CASES*												TOTAL EPTS CASES		
	SYPHILIS			GONORRHEA			OTHER			TOTAL							SYPHILIS			GONORRHEA			OTHER			TOTAL					
	TOTAL ARMY	COLORED MALE	ALL OTHER	TOTAL ARMY	COLORED MALE	ALL OTHER	TOTAL ARMY	COLORED MALE	ALL OTHER	TOTAL ARMY	COLORED MALE	ALL OTHER	TOTAL ARMY	COLORED MALE	ALL OTHER		TOTAL ARMY	COLORED MALE	ALL OTHER	TOTAL ARMY	COLORED MALE	ALL OTHER	TOTAL ARMY	COLORED MALE	ALL OTHER	TOTAL ARMY	COLORED MALE	ALL OTHER			
TOTAL UNITED STATES	10	78	5	37	250	20	2	25	1	49	353	26	4	40	2	THIRD SERV. COMD.	22	161	10	50	317	26	4	29	1	76	507	37	8	78	1
																Aberdeen Prov. Grd. M.D.	6	29?	3?	24	163	7				30	192	10			
FIRST SERV. COMD	10	62	7	19	115	13	2	22	1?	31	199	21	1?	5?	0?	Geo. G. Meade, Ft., Md.	41	542	13	62	650	29	8	117	2?	111	1309	44	34	517	7
																Lee, Cp., Va.	10	28	3?	56	165	11				66	193	14	15	49	1?
Boston PoE, Mass.	22	75	14	18	106	5	5	31	1?	45	212	20				Stations Under 1000	22	291	11	48	501	30	4	55	2	72	847	43	0?		0?
Colored Strength	6	46	4	20	125	16	1?	11?	1?	27	182	21	1?	11?	0?	Colored Strength															
																MIL DIST OF WASH	4	52?	3	21	281	14	1?	10?	0?	26	343	17			
																Stations Under 1000	4	52?	3	21	281	14	1?	10?	0?	26	343	17			
SECOND SERV. COMD.	18	157	10	32	301	16	2	33	1	52	491	27	3	38	1	Colored Strength															
Dix, Fort, N. J.	10	150	7	21	371	13	1?	40?	0?	32	561	20																			
Kilmer, Cp., N. J.	68	239	40	63	329	19	3?	9?	2?	134	576	61				FOURTH SERV. COMD.	10	72	3	48	251	24	4	34	1	62	357	28	4	30	0
Shanks, Cp., N. Y.	52	234	28	53	334	16	7	50	1?	112	618	45																			
Stations Under 1000	8	78	4	29	252	17	3	42	1?	40	372	22	6	87	2	Colored Strength															
																Benning, Fort, Ga.	7	21	3?	30	77	15	11	43	1?	48	141	19	28	110	1?
																Bragg, Fort, N. C.	10	96	4	28	166	17	10	112	2	48	374	23	5	62	0?
																Gordon, Cp., Ga.	25	115	11	43	231	14				68	346	25			
																Greensboro AAFORD, N.C.	2?	19?	1?	7	31?	6	1?	12?		10	62	7	2?	12?	1?
																Jackson, Ft., S. C.	12	64	1?	89	400	23	6	31	1?	107	495	25			
																MacDill Field, Fla.	9?	25?	3?	126	321	53	4?	16?		139	362	56			
																McClellan, Ft., Ala.	10	29	2?	63	169	24	3	11		76	209	26	0?		1?
																Shelby, Cp., Miss.	45	189	7	124	468	33	22	108		191	765	40			

FORM SG-727 REVISED 17 February 1945

* DOES NOT INCLUDE READMITTED CASES (I.E. CASES PREVIOUSLY REPORTED BY AN ARMY UNIT.)
† ANNUAL RATES PER 1000 STRENGTH.

ARMY SERVICE FORCES
OFFICE OF THE SURGEON GENERAL
MEDICAL STATISTICS DIVISION

RESTRICTED

RESTRICTED

FOR STATIONS HAVING COLORED MALE STRENGTH OF 1000 OR OVER

ember 1945

FORM SG-727 REVISED 17 February 1945

ARMY SERVICE FORCES
OFFICE OF THE SURGEON GENERAL
MEDICAL STATISTICS DIVISION

29

VENEREAL DISEASE ADMISSION RATES[†]

RESTRICTED

VOLUME VI REPORT NO. 4 FOR STATIONS HAVING COLORED MALE STRENGTH OF 1000 OR OVER
FOR THE 4 WEEK PERIOD ENDING 28 December 1945

[illegible]

FORM SG-727 REVISED 17 February 1945

* DOES NOT INCLUDE READMITTED CASES (I.E. CASES PREVIOUSLY REPORTED BY AN ARMY UNIT.)
† ANNUAL RATES PER 1000 STRENGTH.

ARMY SERVICE FORCES
OFFICE OF THE SURGEON GENERAL
MEDICAL STATISTICS DIVISION

RESTRICTED